

First Report of Damage to Potato by the Fall Army Worm (FAW)

All pictures supplied by Desiré van Heerden (Syngenta). [For more images of damage, click here ►](#)




Occurrence: Damage to potato by the fall army worm was reported in the Loskop Valley. The planting was made in rotation soil previously planted to a popcorn maize variety near conventional (non-GM) maize, infested by fall army worm (FAW). **After the plantings are sprayed, the damage is limited to an estimated 1%.**

Damage: Above ground stems and growth tips were initially attacked and caterpillars (worms) also tunnelled inside tubers (seed tubers). Haulms were also attacked in the soil where the caterpillars tunnelled inside the haulms or ate through them. Infested haulms that were not cut off were notably smaller than haulms not affected, they were wilted and appeared blueish. In this case, one to two stems per plant were attacked. Caterpillars of FAW were found in the soil near all affected plants.



Eggs on maize leaves

[For more information about the life cycle and identification of FAW, click here](#) ►



Also read:

[Fall army worm/AmerikaanseKommandowurmSpodoptera frugiperda](#)

[1stReport of FAW on Potatoes, Marble Hall, 23 Feb 2017](#)

[MANAGING THE FALL ARMY WORM \(FAW\) OUTBREAK IN SOUTH AFRICA
A CROPLIFE SOUTH AFRICA PERSPECTIVE
Version 3, 24 Feb 2017](#)

ISSUED BY / UITGEREIK DEUR:

DEPARTMENT COMMUNICATION / DEPARTEMENT KOMMUNIKASIE

E-mail/E-pos: hanrie@potatoes.co.za; Tel: +27 (0)12 349 1906; Fax/Faks: +27 (0)12 349 2647

Private Bag X135, Pretoria, 0001 / Privaatsak X135, Pretoria, 0001

www.potatoes.co.za

[Disclaimer / Vrywaring: Click Here / Kliek hier](#)