

EXPRESS

EDITION 91
AUGUST/SEPTEMBER 2021





IN THIS ISSUE

- 03** ASHTON ARCH
BRIDGE UNVEILED
- 06** COVID-19 &
PREGNANCY
- 07** EXTENDED GRACE
TO DRIVERS
- 08** UNDERSTANDING
INDIGENT SUBSIDIES
- 10** INTEGRATED
DEVELOPMENT PLAN
- 11** COVID-19 DASHBOARD
- 12** TOP 10 COMPLAINTS
- 13** WATER RESULTS

PHOTO:NELIS ENGELBRECHT



PHOTO: NELIS ENGELBRECHT

ASHTON ARCH BRIDGE UNVEILED

The new Ashton Arch Bridge was officially opened with a ribbon-cutting ceremony, on Sunday 15 August 2021.

"This is a massive contribution to the economy, to an industry under pressure and to the creation of work for our residents. This project created over 500 work opportunities. I am very proud of this achievement," said Western Cape Minister of Transport and Public Works, Daylin Mitchell.

The R130 million arch bridge, located in the small Western Cape town Ashton, is South Africa's first concrete-tied arch bridge constructed, using a transverse launching method. It replaced the multi-arched bridge that was built in the 1930 period.

To minimise traffic disruption, the new bridge was constructed adjacent to the existing bridge, thereby maintaining the normal course of traffic throughout the building process.

After completion, the new bridge was used as a temporary bypass to cross the river, while the old bridge was being demolished and new abutments were being built. The new arch-tied bridge was then launched transversely to its final position, where the old bridge originally was. The bridge was moved in less than 24 hours on Saturday, 14 August 2021. This type of construction is a first in Africa.

Using a transverse launching method for a completed concrete-tied, arched road bridge is a first in South Africa. After several years of meticulous planning, design and construction, more than 8000 tons of concrete and steel were moved over a distance of 24m, in less than 24 hours. The new arch bridge comprises a cable-supported concrete deck which spans 110 metres between supports with arching ribs, rising 22 metres above the asphalt road surface.

The modern, state of the art structural components were designed, manufactured and installed using complex techniques. These included the concrete arch ribs, post tensioned tie beams, stay anchors and cables, as well as the transverse launching equipment which had to be specially imported.

The Premier of the Western Cape, Alan Winde said, "The development of this bridge would not be possible without the support of each and every stakeholder, from the workers and businesses to the broader community."

This project was launched to reconstruct parts of Trunk Road 31, sections 2 and 3, from Ashton to Montagu (which is where the tourist Route 62 begins) to a higher standard, in order to improve traffic and pedestrian safety as well as to improve the flood capacity of bridges and resistance to overtopping of the road at several problem locations.

"The councillors and citizens of the Langeberg Municipal area are very thankful and proud of this upgrade to our roads infrastructure. The Ashton Arch Bridge will benefit our economy and open-up our region to more tourists. Even more so, when the entire road project is completed early 2022," said Langeberg's Executive Mayor, Schalk van Eeden.

Van Eeden continued, "We appeal to visitors to not only come and look at the bridge, but also to stay over in our beautiful area – the valley of wine, cheese and roses." He praised everybody who worked on the project with, "Congratulations, on a job well done."

FOR MORE INFORMATION ON THE ASHTON ARCH BRIDGE, VISIT [CLICK HERE](#)

ASHTON SE BOOGBRUG ONTHUL

"Die nuwe Ashton Boogbrug is, op Sondag 15 Augustus 2021, amptelik met 'n lint-sny seremonie geopen.

"Hierdie is 'n enorme bydrae tot die ekonomie, tot 'n industrie wat onder druk is en tot die skepping van werk vir ons inwoners. Hierdie projek het meer as 500 werksgeleenthede geskep. Ek is baie trots op hierdie prestasie," het die Wes-Kaapse Minister van Vervoer en Openbare Werke, Daylin Mitchell, gesê.

Die R130 miljoen boogbrug, te vinde in die klein Wes-Kaapse dorpie Ashton, is Suid-Afrika se eerste beton-gebonde boogbrug konstruksie wat 'n dwarslopende verskuiwings-metode gebruik het. Dit vervang die multi-boog brug wat in die 1930-periode gebou is.

Ten einde verkeersontwrigting te beperk, is die nuwe brug langs die bestaande brug gebou, om sodoende, die normale verkeersvloei regdeur die bouproses te handhaaf. Na voltooiing, is die nuwe brug as 'n tydelike deurweg gebruik om die rivier te kruis, terwyl die ou brug gesloop is en nuwe steunpunte gebou is.

Die nuwe boog-gebonde brug is toe dwars na sy finale posisie verskuif, tot waar die ou brug eers was. Die brug is op Saterdag, 14 Augustus 2021, in minder as 24 uur verskuif. Hierdie tipe konstruksie is 'n eerste in Afrika.

Die gebruik van 'n dwarslopende verskuiwingsmetode vir 'n voltooide beton-gebonde, boog-padbrug is 'n eerste vir Suid-Afrika. Na verskeie jare van noukeurige beplanning, ontwerp en konstruksie is meer as 8000 ton beton en staal, in minder as 24uur, oor 'n afstand van 24m verskuif. Die nuwe boogbrug bestaan uit 'n kabel-gesteunde beton dek wat 110m strek - tussen stutte met ribbeboë wat 22m bo die asfalt padoppervlak uitstyg.

Die moderne en nuutste struktuurkomponente is met komplekse tegnieke ontwerp, vervaardig en geïnstalleer. Dit sluit in, die beton ribbeboë, na gespanne bindbalke, stut-ankers en -kabels, sowel as die dwarslopende verskuiwingstoerusting wat spesiaal ingevoer moes word.



PHOTO: NELIS ENGELBRECHT

Die Wes-Kaapse Premier, Allan Winde het gesê, "Die ontwikkeling van hierdie brug sou nie moontlik gewees het sonder die steun van ieder en elke belanghebbende nie, vanaf die werkers en besighede tot die breë gemeenskap."

Hierdie projek is geloods om gedeeltes van die Hoofverkeerspad 31, seksies 2 en 3, vanaf Ashton tot by Montagu (wat is, waar die toeriste-roete R62 begin) tot n hoër standaard op te knap, ten einde verkeers- en voetgangerveiligheid te verbeter, sowel as om vloedkapasiteit van die brue te verbeter sodat dit weerstand kan bied teen die oorspoel van paaie by verskeie probleem-liggings.

"Die raadslede en inwoners van die Langeberg munisipale areas is baie dankbaar en trots op hierdie opgradering aan ons pad-infrastruktuur. Die Ashton Boogbrug sal ons ekonomie bevoordeel en sal ons area vir meer toeriste oopmaak. Nog meer so, wanneer die hele padprojek vroeg 2022 voltooi word," het Langeberg se Uitvoerende Burgermeester, Schalk van Eeden gesê.

Van Eeden het voorts ook gesê, "Ons doen 'n beroep op besoekers om nie net na die brug te kom kyk nie, maar om ook in ons prag area oor te bly – die valei van wyn, kaas en rose." Hy het almal wat aan die projek gewerk het geprys met, "Veels geluk, met 'n taak welgedaan."

IBHULORHO YASE-ASHTON YE-ARCH ITYHILIWE



PHOTO: NELIS ENGELBRECHT

"Kumsitho wokusika irhiboni ngeCawa, umhla we-15 Agasti 2021 iBhulorho entsha yase-Ashton ye-Arch yavulwa ngokusesikweni.

"Eli ligalelo elikhulu kuqoqosho, kushishino oluphantsi koxinzelelo kunye nokudala imisebenzi kubahlali bethu. Le projekthi yenze ngaphezu kwama-500 amathuba emisebenzi. Ndiyazinca ngale mpumelelo," utshilo uMphathiswa weZothutho neMisebenzi yoLuntu kwiNtshona Koloni, uDaylin Mitchell.

Ibhulorho yase-Ashton ye-Arch yezigidi ezingama-R130, ibekwe kwidolophu encinci yase-Ashton, yibhulorho yokuqala eMzantsi Afrika ebotshelwe kwikhonkrithi neyenziwe ngendlela yemixokomezelo engqumlezileyo. Ibekwe endaweni yebhulorho eyayilapho ngaphambili neyayinemixokomezelo emininzi nayakhiwa ngeminyaka yee-1930.

Ukunciphisa ukuphazamiseka kwezithuthi ngexa ibasakhiwa, ibhulorho entsha yakhelwa kufutshane nalobhulorho ibikho kakade, ngalondlela kusenzelwa izithuthi ziqhubeka zisebenzisa leyo indala. Emva kokugqitywa kwayo, ibhulorho entsha iye yasetyenziselwa okwethutyana ukuwela umlambo ngelixa ibhulorho endala idilizwa, kwabe kusakhiwa neziseko zaleyo intsha. Le bhulorho intsha ibotshelweyo yabekwa kweyona ndawo yayo kwisithuba nje esingaphantsi kweeyure ezingama-24, ngoMgqibelo umhla we-14 ku-Agasti, kwaye yeyokuqala ngqa eloluhlobo eyakhiwe e-Afrika.

Ukusebenzisa indlela yokwakha engqumlezileyo yokuyikhonxela, uyibophelele ibhulorho yeyokuqala eMzantsi Afrika. Kwafuduswa ngaphezulu kweetoni ezingama-8000 zekhonkrithi kunye neentsimbi zihamba umgama ongangama-24m kwiayure ezingaphantsi nje kwama-24, oku kuqhathaniswa neminyaka eliqela yomsebenzi wokucwangcisa, wokuyila kunye nokuyakha. Lebhulorho intsha ibotshelweyo yaqhotyoshelwa kwiintambo zombane ezixhaswe ngekhebula lekhonkrithi elihamba imitha ezili-110

phakathi kweentsimbi eziyixhasileyo eziphakame kanga ngemitha ezingama-22 phezulu komgangatho wendlela ye-asphalt.

Inkangeleko yayo yezinto nendlela yalamaxesha ziyilwe, zaveliswa zaze zafakelwa kusetyenziswa ubuchule obuntsonkothileyo. Oku kuquka nemixhokomezelo yekhonkrithi, iipali ebotshelwe kuzo, ii-ankile ezilapho, iintambo zombane kwakunye nezixhobo ezinqumlezileyo ekwakufuneka zithengwe kumazwe angaphesheya.

INkulumbuso yeNtshona Koloni, u-Alan Winde wathi: "Ukwakhiwa kwale bhulorho angekhe kube kwenzekile ngaphandle kwenkxaso yomntu wonke ebechaphazeleka, ukusuka kubasebenzi nakumashishini ukuya kuluntu ngokubanzi."

Le projekthi yeyo kudibanisa inxalenye yeSitalato i-Trunk yamaCandelo-31 kanombolo 2 kunye no-3, ukusuka e-Ashton ukuya eMontagu (apho kuqala khona indlela yabakhenkethi u-Route 62) zibekwa kumgangatho ophezulu khonukuze kuphuculwe ukhuseleko lwabaqhubi beemoto nolwabahambi ngeenyawo kananjalo kuphuculwe nomthamo umlambo unokuwuthwala ngexesha lezikhukhula kulungiselelwa ukuba ibhulorho nendlela zingawo.

"Ooceba kunye nabemi bommandlakaMasipala waseLangebergbanombulelo omkhulu futhi bayazingca ngolu phuhliso lwendlela zethu. IBhulorho yase-Ashton ye-Arch izakuba lulutho kuqoqosho lwethu kwaye ivulele ummandla wethu kubakhenkethi abaninzi. Ingakumbi xa yonke le projekthi yeendlela igqityiwe ebutsheni buka 2022," utshilo uSodolophu weSigqeba, uAld Schalk van Eeden.

UVan Eeden uqhubeke wathi, "Sibongoza zonke iindwendwe ukuba zinganeli nje kukuza bazokubona ibhulorho kodwa mazichithe ubusuku kulo mmandla wethu umhle kangaka - oyintlambo yewayini, yetshizi kunye neentyatyambo. Kuye wonke ubani obesebenza kule projekthi: siyahalalelisa ngomsebenzi omhle owenziweyo." utshilo uSodolophu weSigqeba, uAld Schalk van Eeden.



Pregnant, planning pregnancy or breastfeeding? GET VACCINATED AGAINST COVID-19

- COVID-19 is more dangerous in pregnant women, especially towards the end of pregnancy.
- Pregnant women who are older or are living with hypertension, diabetes, obesity, TB or untreated HIV are especially at risk.



What do we know about COVID-19 vaccines?

- COVID-19 vaccines are very effective. They decrease the chances of you getting severe COVID-19 or dying from COVID-19.
- The vaccine can protect you and possibly your baby from getting even mild COVID-19 infection.
- None of the COVID-19 vaccines contain the live virus, so it cannot give you or your baby COVID-19.
- COVID-19 vaccines are safe. They cause the same side effects whether you are pregnant or not. These are usually mild. You can use paracetamol if you have a fever or headache after vaccination.
- You have a greater chance of getting very sick from COVID-19 than from having a severe side effect of the vaccine.
- There are no known risks for your baby when breastfeeding. There may be benefits for your baby if you are vaccinated.
- There is no evidence that COVID-19 vaccines cause problems with fertility or getting pregnant in the future.

COVID-19 vaccine studies in pregnant women have not shown any harmful effects on the developing baby or on pregnancy. Over 148 000 pregnant women in the United States have been vaccinated without any safety concerns.



What must you do now?

1. Discuss with a healthcare provider if you need more information or have concerns.
2. Continue to attend your routine antenatal care and baby clinic visits.
3. Continue with measures to avoid catching COVID-19.



- Wear your mask



- Wash your hands



- Keep a safe physical distance from others



- Avoid crowds and confined places

4. Register to get vaccinated:
<https://vaccine.enroll.health.gov.za>



EXTENDED GRACE TO DRIVERS

"Our government is vigilant and fights relentlessly against the assault of the COVID-19 pandemic. The implementation of measures to address, prevent, and combat the spread of COVID-19, constantly necessitates re-adjustment and alignment to current circumstances and challenges. The safety and protection of citizens against exposure to the virus has a high priority.

Government has therefore now, as published in the Government Gazette of 31 August 2021, issued a direction which safeguards vehicle drivers against such possible exposure. The direction grants road users extended grace to renew expired licences and permits.

All learners licences, driving licence cards, temporary driving licences, and professional driving permits that have expired during the period commencing on 26 March 2020, up to and including 31 August 2021, are now deemed to be valid for an extended grace period, ending on 31 March 2022.

ASHTON TRAFFIC OFFICE	BONNIEVALE TRAFFIC OFFICE	MONTAGU TRAFFIC OFFICE	ROBERTSON TRAFFIC OFFICE
Abattoir Road, Ashton	Municipal Office Hoofweg, Bonnievale	Piet Retief Street, Montagu	Church Street, Robertson
<i>OPERATING HOURS</i> Monday-Thursday: 08:00 – 15:30 Friday: 08:00 – 14:00	<i>OPERATING HOURS</i> Tuesday and Thursday only 08:00 – 15:30	<i>OPERATING HOURS</i> Monday, Wednesday and Friday only 08:00 – 15:30	<i>OPERATING HOURS</i> Monday-Thursday: 08:00 – 15:30 Friday: 08:00 – 14:00
<i>CONTACT</i> 023 615 8000	<i>CONTACT</i> 023 616 8000	<i>CONTACT</i> 023 614 8000	<i>CONTACT</i> 023 626 8200

LANGER GRASIE VIR BESTUURDERS

"Ons regering is waaksaam en veg onverpoosd teen die aanslag van die COVID-19 pandemie. Die implementering van die maatreëls om die pandemie aan te spreek, te voorkom en teen te werk, noep volgehoue heraanpassing, na gelang van heersende omstandighede en knelpunte. Die veiligheid en beskerming van landsburgers teen blootstelling aan die virus staan hoog aangeskryf.

Die regering het dus nou, soos gepubliseer in die Staatskoerant van 31 Augustus 2021, 'n voorskrif uitgereik wat voertuigbestuurders teen sodanige, moontlike blootstelling beskerm. Die voorskrif vergun padverbruikers langer gracie om vervalde lisensies en permitte te herhu.

Alle leerlinglisensies, bestuurslisensieskaarte, tydelike bestuurslisensies en professionele bestuurspermitte wat in die periode vanaf 26 Maart 2020, tot en met 31 Augustus 2021 verval het, word nou vir 'n verlengde gracie-periode, tot en met 31 Maart 2022, geldig geag.

UNDERSTANDING INDIGENT SUBSIDIES

The key purpose of the indigent subsidy is to ensure that households with no, or low income are not denied reasonable, basic services and that the Municipality is not burdened with non-payment for any services which had been delivered.

The indigent subsidies of Langeberg Municipality expired on 30 June 2021. Qualifying account holders could re-apply for another three-year period, which started July 2021. The municipality provided assistance at its offices and community halls in the various towns, to anyone who wished to apply.

When will my subsidy be implemented?

Langeberg Municipality does its utmost to ensure timeous implementation. The process, however, is also dependent on credit bureau verification, which the municipality has no control over.

Why do people earning more than R3820 also receive the subsidy?

It is illegal to receive an indigent subsidy if you earn more than R3820 per month. Illegal recipients affect others who do qualify for the subsidy and are in dire need of support. Langeberg Municipality, therefore, urges residents to please report any non-qualifying recipient that they are aware of. This may be done anonymously -

- Send an email to info@langeberg.gov.za ;
- Call 023 615 8000, or
- Write a letter to: The Municipal Manager, 28 Main Road, Ashton, 6715

What does the indigent subsidy include?

Each approved indigent household receives the following basic services free of charge:

- The first 50Kwh of electricity use per month
- The first 6Kl of water use per month
- Refuse removal
- Sanitation

Can I still apply for the indigent subsidy?

Indigent support can be applied for at any time. However, applicants must note that applications are linked to a fixed period. The current three year period for indigent support started July 2021 and it ends June 2024. This fixed period applies to all applicants, irrespective of when the application was made. At the end of this fixed period, support to all recipients ceases. Should a new support period open after June 2024, anyone seeking support during such a new period must apply anew.

Can my indigent subsidy be withdrawn?

Yes, the indigent grant will be withdrawn from any person receiving the subsidy, who:

INDIGENT APPLICATION PROCESS

STEP 1: Application for Indigent Subsidy

- The application forms can be obtained at any office of Langeberg Municipality.
- The application process for the 2021/23 cycle is open from 01 July 2021 to 31 March 2023.
- Applicants' electricity will **NOT** be blocked and Auxiliary services will not be applied.
- **Applicants are encouraged to pay for any consumption in excess of what the indigent subsidy grants free, while the application is still pending.**

STEP 2: Verification Process

- Applications for indigent subsidy must be evaluated by a credit bureau, where-after it will be approved, or disapproved.
- A site verification visit may be performed to confirm the declarations in the application.

STEP 3: Application Notice

- Applicants will be notified when their applications have been approved or denied.
- If approved, the difference between the consumed balance (on the date of application) and the accrued balance (on the date of approval) will be written off, within the limit of the indigent subsidy.
- Denied applications will be granted the opportunity to appeal once a year.

STEP 4: Implementation

- Approved applications are activated and the consumer can now benefit from the indigent subsidy.
- The benefits are 6 Kl of water per month free, 50kWh of electricity per month free, and the basic charges for water, sewerage and refuse removal per month free.

- Runs a spaza shop illegally from the premises which is linked to the subsidy;
- Allows illegal electricity connections to the premises which is linked to the subsidy;
- Subleases the premises which is linked to the subsidy - meaning that the recipient does not personally occupy the premises.
- Change in the household income to exceed the minimum threshold

Click here to read more about the qualifying criteria for indigent support in the Langeberg municipal area.

VERSTAAN DEERNIS-SUBSIDIES

Die hoofdoel van die deernis-subsidie is om te verseker dat huishoudings met geen, of lae inkomste nie redelike, basiese dienste ontsê word nie en dat die munisipaliteit nie met wanbetaling belas word, vir enige dienste wat gelewer is nie.

Die deernis-steun van Langeberg Munisipaliteit het op 30 Junie 2021 verstryk. Kwalifiserende rekeninghouers kon vir 'n verdere drie-jaar periode, wat Julie 2021 begin het, heraansoek doen. Die munisipaliteit het by sy kantore en gemeenskapsale in die verskeie dorpe hulp verleen aan almal wat wou aansoek doen.

Wanneer word my subsidie geïmplementeer?

Langeberg Munisipaliteit doen sy bes om tydige implementering te verseker. Die proses is egter ook onderhewig aan kredietburo-verifikasie, waaroor die munisipaliteit geen beheer het nie.

Waarom ontvang mense wat meer as R3820 verdien ook die subsidie?

Dit is onwettig om die deernis-subsidie te ontvang, as jy meer as R3820 per maand verdien. Onwettig begunstigdes affekteer diegene wat wel vir die subsidie kwalifiseer en die steun dringend benodig. Langeberg Munisipaliteit moedig dus inwoners aan om asseblief enige nie-kwalifiserende begunstigde waarvan hul kennis dra, te rapporteer. Dit mag anoniem gedoen word –

- Stuur 'n e-pos na info@langeberg.gov.za ;
- Skakel 023 615 8000, of
- Skryf 'n brief aan: Die Munisipale Bestuurder, Hoofweg 28, Ashton, 6715

Wat sluit die deernis-subsidie in?

Elke goedgekeurde deernis-huishouding ontvang die volgende basiese dienste gratis:

- Die eerste 50Kwh elektrisiteitsverbruik, per maand
- Die eerste 6Kl waterverbruik, per maand
- Vullisverwydering
- Sanitasie

Kan ek steeds vir die deernis-subsidie aansoek doen?

Deernissteun kan te enigietyd voor aansoek gedoen word. Aansoekers moet egter kennis neem dat steun aan 'n geslote tydperk gekoppel is. Die huidige drie-jaar periode vir deernissteun het Julie 2021 geopen en dit sluit Junie 2024. Hierdie geslote tydperk geld vir alle aansoekers, ongeag wanneer die aansoek gerig is. Aan die einde van hierdie geslote tydperk staak steun aan alle begunstigdes. Sou 'n nuwe steuntidperk na Junie 2024 open, moet almal wie steun in sodanige nuwe tydperk verlang, van nuuts-af aansoek doen.

Kan my deernis-subsidie onttrek word?

Ja, die deernis-toekenning sal onttrek word van enige persoon wat die subsidie ontvang, wie:

- 'n Huiswinkel onwettig vanaf die perseel, waarmee die subsidie verbind is, bedryf;
- Onwettig elektrisiteitskoppelings na die perseel, waarmee die subsidie verbind is, toelaat;
- Die perseel, waarmee die subsidie verbind is, uitverhuur - wat beteken dat die begunstigde nie die perseel persoonlik bewoon nie
- Verandering in die huishoudelike inkomste om die minimum drempel te oorskry

INKXASO-MALI YABANGATHATHI-NTWENI ICACISIWE

Eyona njongo iphambili yenkxaso-mali yabangathathi-ntweni kukuqinisekisa ukuba amakhaya angafumani ngeniso okanye angeniso yawo iphantsi awavinjelwa ukuba afumane iinkonzo ezifanelekileyo, ngokuchaseneyo uMasipala akanaxinzelelo ngokwasezimalini ngenxa yokungahlawulwa kweenkonzo.

Inkxaso-mali yabangathathi-ntweni abanee-akhawunti kuMasipala waseLangeberg iphelelwe ngomhla wama-30 kuJuni 2021. Abanini akhawunti abafanelekileyo kufuneka benze izicelo kwakhona zeminye iminyaka emithathu nezakuqala ngoJulayi 2021. Umasipala ubabonelela ngethuba noncedo kuye nabani na ofuna ukufaka isicelo kwii-ofisi kunye nakumaholo oluntu kwiidolophu ngokwahlukeneyo.

Izakuqaliswa nini inkxaso-mali yam?

Ukuqaliswa kwayo kuxhomekeke kwiziko lamatyala elenza isiqinisekiso, uMasipala waseLangeberg wenza konke okusemandleni ukuqinisekisa ukuqaliswa kwayo ngexesha.

Kutheni lento abantu abomkela ngaphezu kwama-R3820 befumana inkxaso-mali?

- Oku akukho semthethweni kwaye kungabachaphazela abanye abadinga inkxaso-mali yabangathathi-ntweni. UMasipala waseLangeberg ubongoza abahlali abanolwazi ngabanini akhawunti abangafanelanga kufumana inkxaso-mali yabangathathi-ntweni ukuba bancede babaxele ngoku:
- Thumele i-imeyile ku-info@langeberg.gov.za ;
- Tsalela ku-023 615 8000 okanye;
- Ubhale ileta eya: Municipal Manager, 28 Main Road, Ashton, 6715

Iquka ntoni inkxaso-mali yabangathathi-ntweni?

Wonke umzi ohluphekileyo uya kufumana iinkonzo ezisisiseko simahla nezizakuquka oku kulandelayo:

- Ama-50Kwh okuqala ombane ngenyanga
- I-6Kl yokuqala yamanzi ngenyanga
- Ukuthuthwa kwenkunkuma
- Ugutyulo

Ndingasifaka isicelo senkxaso-mali yabangathathi-ntweni?

Akukho mhla ubekiweyo wokufakwa kwezicelo zenkxaso-mali yabangathathi-ntweni. Abafaki zicelo abakulungeleyo ukufumana inkxaso-mali yabangathathi-ntweni nabalinda ixesha elide ukufaka izicelo zabo mabaqaphele ukuba isithuba seminyaka emithathu siqale ngoJulayi 2021 kwaye siphela ngoJuni 2024 kuye wonke umntu, kungakhathaliseki nokuba usifake nini isicelo.

Ingarhoxiswa na inkxaso-mali yabangathathi-ntweni yam?

Ewe. I inkxaso-mali yabangathathi-ntweni iya kurhoxiswa kuye nakowuphina umntu:

- Oqhuba ivenkile yespaza ngokungekho semthethweni kwizakhiwo ezifumana inkxaso-mali;
- Ovumela kutsalwe umbane ngokungekho semthethweni kwizakhiwo ezifumana inkxaso-mali;
- Onxusisa kwizakhiwo ezifumana iinkxaso-mali yabangathathi-ntweni ntoleyo ethetha umnini-sicelo asinnguye ohlala buqu kwizakhiwo;
- Utshintsho kwingeniso yekhaya ukugqitha kowona mqobo mncinci.



SPEAK UP!

INTEGRATED DEVELOPMENT PLAN FOR 2022-2027



DEVELOPMENT OF A 5 YEAR IDP

Langeberg Municipality is in the process of developing our 5th Generation Integrated Development Plan (IDP). This strategic document will provide guidance on how the municipality will be of service, and improve the lives of the community of Langeberg Municipality.



WE WANT TO HEAR FROM YOU

Submit your inputs on the infrastructure and basic service needs in your area.

**The closing date for all inputs are
Tuesday, 30 November 2021**



PARTICIPATE

Langeberg Municipality encourage you to actively participate in the affairs of the municipality, by providing us with valuable inputs concerning the needs in your community.

HOW TO SUBMIT YOUR INPUTS



WEBSITE

www.langeberg.gov.za



E-MAIL

idp@langeberg.gov.za



SMS

Reply to any
Municipal
Message
(R1.50 per SMS)



SOCIAL MEDIA

Message us on
Facebook,
Twitter or
Instagram.



COUNCILLOR

Speak to your ward
committee representative
or ward councillor,
who will submit your
inputs on your behalf.

COVID-19 DASHBOARD: LANGEBERG AREA

AUGUST 2021

SUMMARY*

TOTAL CASES: 7211
RECOVERED CASES: 6731
ACTIVE CASES: 212
DEATHS: 268

*AS ON 31 AUGUST 2021

VACCINATIONS

TOTAL VACCINATIONS IN THE LANGEBERG AREA
ON 31 AUGUST

24053

REGISTER

18 AND OLDER? SEND THE WORD
'REGISTER' TO 0600 123 456 ON WHATSAPP
OR DIAL *134*832#.

FOR SUPPORT TO REGISTER, CALL **0860 142 142** OR VISIT
VACCINE.ENROLL.HEALTH.GOV.ZA


GOLDEN RULES

STAY SAFE.
WASH YOUR HANDS.
WEAR A MASK.
KEEP A SAFE DISTANCE.

INCREASE OF TOTALS*

TOTAL CASES 1554
RECOVERED CASES: 1573
DEATHS: 55

*BETWEEN STATISTICS OF 2 AND 31 AUGUST 2021



VACCINATION SITES

VACCINATION ARE DONE ON WEEKDAYS
(EXCLUDING PUBLIC HOLIDAYS) AT THESE
FACILITIES:

CALLIE DE WET SPORTSGROUNDS
(09:00 - 14:00)

MONTAGU CLINIC
(13:00 - 14:00)

ZOLANI CLINIC
(12:00 - 14:00)

BONNIEVALE COMMUNITY HALL
(09:00 - 14:00)

KOGMANSKLOOF CLINIC
(12:00 - 14:00)

MCGREGOR CLINIC
(WEDNESDAYS FROM 14:00 - 16:00)

HAPPY VALLEY CLINIC
(12:00 - 14:00)

DISCLAIMER: THE ACTIVE COVID-19 CASES PER TOWN IS ISSUED BY THE WESTERN CAPE DEPARTMENT OF HEALTH. THE INFORMATION ABOVE IS CORRECT AT THE TIME OF PUBLISHING.

REPORT YOUR SERVICE COMPLAINTS

The Langeberg Municipality has a 24 hour, seven-day-a-week Emergency and Customer Care Call Centre that has been in operation for more than a decade.

What type of complaints can be reported?

To speed up service delivery in your ward, the following type of complaints can be reported directly to the call centre:

- *Water and Sanitation Services*
- *Streets and Storm Water*
- *Electricity Services*
- *Environmental Services*

How to report a complaint?

- Call: 0860 88 1111
- WhatsApp: 065 211 7822
- E-mail: complaints@langeberg.gov.za

MELD JOU DIENSKLAGTES

Die Langeberg-munisipaliteit het 'n 24-uur-noodsentrum vir noodsituasies en klantediens wat al langer as 'n dekade in werking is.

Watter soort klagtes kan aangemeld word?

Om die dienslewering in u afdeling te bespoedig, kan die volgende soort klagtes regstreeks by die inbelsentrum aangemeld word:

- *Water- en riooldienste*
- *Strate en stormwater*
- *Elektrisiteitsdienste*
- *Omgewingsdienste*

Hoe moet ek 'n klagte aanmeld?

- Skakel: 0860 88 1111
- WhatsApp: 065 211 7822
- E-pos: complaints@langeberg.gov.za

XELA ISIKHALAZO SAKHO NGENKONZO

UMasipala waselangeberg uneZiko elisebenza iiyure ezingama-24, iintsuku ezisi-7 zeveki, lokuTsalela Iminxeba yoNgxamisekileyo neliKhathalela Abathengi, nelisele lisebenze ngaphezu kweminyaka elishumi.

Hlobo luni lwezikhalazo ezinokuxelwa?

Ukukhawulezisa ukuhanjiswa kweenkonzo kwiwadi yakho, ezintlobo zezikhalazo zilandelayo zingaxelwa nqo kwiziko lokutsalela iminxeba:

- *Iinkonzo Zamanzi Nogutyulo*
- *Izitalato naManzi Emvula*
- *Iinkonzo zombane*
- *Iinkonzo zokusiNgqongileyo*

Usixela njani isikhalazo?

- Tsalela: 0860 88 1111
- UWhatsApp: 065 211 7822
- I-imeyile: complaints@langeberg.gov.za



TOP 10 COMPLAINTS AUGUST 2021

1

WARD 10 - ASHTON
NUMBER OF COMPLAINTS RECEIVED: 69
ELECTRICITY (POWER FAILURES)

2

WARD 2 - ROBERTSON
NUMBER OF COMPLAINTS RECEIVED: 62
CIVIL (SEWERAGE BLOCKAGES)

3

WARD 9 - ASHTON
NUMBER OF COMPLAINTS RECEIVED: 46
CIVIL (SEWERAGE BLOCKAGES)

4

WARD 1 - ROBERTSON
NUMBER OF COMPLAINTS RECEIVED: 44
CIVIL (SEWERAGE BLOCKAGES)

5

WARD 8 - BONNIEVALE
NUMBER OF COMPLAINTS RECEIVED: 36
CIVIL (SEPTIC TANKS)

6

WARD 2 - ROBERTSON
NUMBER OF COMPLAINTS RECEIVED: 35
ELECTRICITY (POWER FAILURES)

7

WARD 3 - ROBERTSON
NUMBER OF COMPLAINTS RECEIVED: 30
CIVIL (SEWERAGE BLOCKAGES)

8

WARD 9 - ASHTON
NUMBER OF COMPLAINTS RECEIVED: 29
ELECTRICITY (POWER FAILURES)

9

WARD 4 - BONNIEVALE
NUMBER OF COMPLAINTS RECEIVED: 25
CIVIL (SEWERAGE BLOCKAGES)

10

WARD 10 - ASHTON
NUMBER OF COMPLAINTS RECEIVED: 23
ELECTRICITY (PREPAID ELECTRICITY)

18 & OLDER?

CLICK HERE TO REGISTER FOR COVID-19 VACCINE

FOR ALL EMERGENCIES AND CUSTOMER SERVICE

All emergencies contact 0860 88 1111 or for complaints complaints@langeberg.gov.za

QUERIES OR SUGGESTIONS?

Do you have any suggestions on how we can improve our communication with you? Or, do you perhaps have queries about any of our articles?

Please contact Willy-John Gordon at wgordon@langeberg.gov.za, or visit us at the Municipal Building, 28 Main Road, Ashton, 6750.

NAVRAE OF VOORSTELLE?

Het u dalk enige voorstelle oor hoe ons ons kommunikasie met u kan verbeter? Of het u dalk navrae omtrent enige van ons artikels?

Kontak Willy-John Gordon by wgordon@langeberg.gov.za of besoek ons gerus by die munisipale gebou, Hoofweg 28, Ashton, 6715.

IMIBUZO OKANYE IINGCEBISO?

Ingaba unazo kusini na iingcebiso malunga nendlela esinokuphucula ngalo unxibetwano kunye nawe? Okanye, ingaba unemibuzo ethile malunga nelineye lamanqaku ethu?

Nceda ke uqhagamshelane no-Willy-John Gordon, ku-wgordon@langeberg.gov.za okanye umtyelele kwisakhiwo sakwaMasipala esise-28 Main Road, Ashton, 6715.



JOIN OUR SMS DATABASE

Email your municipal account number, ward number and cell number to Debiteure@langeberg.gov.za, or visit our nearest Municipal Office.



www.langeberg.gov.za

Have you joined us yet?

Het jy al by ons aangesluit?

Ngaba usijoyine?



Langeberg Municipality



Langeberg_Muni



WATER RESULTS - JULY 2021



Analysis	Requirement Measurement Blue Drop Standards	Ashton	Bonnievale	McGregor	Montagu
pH (at 25°C)	≥5.00 - ≤9.70	6,95	7,1	7,3	7,11
Conductivity (at 25°C)	≤170	36,7	22,2	12,7	56
Turbidity (NTU)	≤1.0 Operational	0,81	1,6	0,75	0,77
	≤5.0 - Aesthetic				
Colour (mg/L as Pt)	≤15	<10		<10	
Aluminium (µg/L as Al)	≤300	<50	<50	50	<50
Iron (µg/L as Fe)	≤300 Aesthetic ≤2000 Chronic Health	<20	<20	<20	<20
Free Chlorine (mg/L)	>0.0 - ≤5	1,82	1,3	<0,02	<0,02
E.Coli (cnt/100ml)	Not Detected	0	0	0	0
Total Coliform Bacteria	≤10	1	0	1	0