

S D O O R S	DOOR NO.	D01	D02	D03	D04	D05	D06	D07	D08
	6.250 under LINTOL 5.910 under LINTOL 5.645 under LINTOL 5.645 under WINDOW 5.145 under LINTOL								
	3.060 top of AFFL 2.425 under LINTOL 2.085 under LINTOL								
	0.000 top of AFFL								
	DESCRIPTION	Powder coated aluminum frame sectional overhead automated roller shutter door with panoramic glass panels.	Powder coated aluminum frame sectional overhead automated roller shutter door with vision glass panels.	Powder coated aluminum frame double sliding automated, with opening censors.	Powder coated aluminum frame double door.	Single semi solid door for drywall installation	Single semi solid door for drywall installation	Single framed and cross braced batten door from SWARTLAND or similar approved	Single semi solid sliding door with top sliding gear
	FRAME/GLAZING	Powder coated aluminum frame with panoramic glass panels, to SANS 10400 requirements - colour to match CHARCOAL from "SWARTLAND KENZO"	Powder coated aluminum frame with vision glass panels, to SANS 10400 requirements - colour to match CHARCOAL from "SWARTLAND KENZO"	Powder coated aluminum frame with low E safety glass panels, to SANS 10400 requirements - colour to match CHARCOAL from "SWARTLAND KENZO"	Powder coated aluminum frame with low E safety glass panels, to SANS 10400 requirements - colour to match CHARCOAL from "SWARTLAND KENZO"	Natural anodized aluminum frame for drywall	Natural anodized aluminum frame for drywall	Mild steel frame	-
	DOOR FINISH	as per above	as per above	as per above	as per above	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.
	QUANTITY	3x off	3x off	1x off	2x off	5x off (2x LH + 3x RH)	1x off (0x LH + 1x RH)	16x off (9x LH + 7x RH)	16x off (9x LH + 7x RH)

S D O O R S	DOOR NO.	D09	D10	D11	D12	D13	D14	D15	D16
	6.250 under LINTOL 5.910 under LINTOL 5.645 under LINTOL 5.645 under WINDOW 5.145 under LINTOL								
	3.060 top of AFFL 2.425 under LINTOL 2.085 under LINTOL								
	0.000 top of AFFL								
	DESCRIPTION	Double framed and cross braced batten door from SWARTLAND or similar approved	Double framed and cross braced batten door from SWARTLAND or similar approved	Powder coated aluminum frame double door.	Powder coated aluminum frame single door.	Double framed and cross braced batten door from SWARTLAND or similar approved	Powder coated aluminum frame single service duct door.	Double semi solid door for drywall installation	Double semi solid sliding door with top sliding gear
	FRAME/GLAZING	Mild steel frame	Mild steel frame	Powder coated aluminum frame with low E safety glass panels, to SANS 10400 requirements - colour to match CHARCOAL from "SWARTLAND KENZO"	Powder coated aluminum frame with low E safety glass panels, to SANS 10400 requirements - colour to match CHARCOAL from "SWARTLAND KENZO"	Mild steel frame	Powder coated aluminum frame - colour to match CHARCOAL from "SWARTLAND KENZO"	Natural anodized aluminum frame for drywall	-
	DOOR FINISH	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	as per above	as per above	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	as per above	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.	Painted with one coat universal undercoat and finished with two coats eggshell enamel to SABS standard and all in accordance with the finishing schedule.
	QUANTITY	3x off	1x off	1x off	1x off (0x LH + 1x RH)	1x off	4x off (1x LH + 3x RH)	4x off	1x off

General Notes

A1

This drawing is not to be scaled, all figured dimensions to be used.

All Dimensions and cadastral setting out information to be thoroughly checked on site and all or any discrepancies to be reported to the Architect or Lead Consultant before any work is put in hand.

All work is to comply with the NATIONAL BUILDING REGULATIONS (NBR) AND BUILDING STANDARDS act 103 of 1977 as amended

All work is to comply with all relevant specifications and codes of practice of the SOUTH AFRICAN BUREAU OF STANDARDS (SABS) / SOUTH AFRICAN NATIONAL STANDARDS (SANS) and amendments thereto.

HEALTH AND SAFETY: All construction activities to conform to the OCCUPATIONAL HEALTH AND SAFETY ACT 1993 (Act No 85 of 1993)

All materials and workmanship to be as per the MODEL PREAMBLES FOR TRADES 2008, and any further additional preambles as noted in the Bills of Quantities.

All work is to comply with all relevant specifications and codes of practice of the NATIONAL HOME BUILDERS REGISTRATION COUNCIL (NHBRC) (Where applicable)

ELECTRICAL Engineer: (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

STRUCTURAL and CIVIL Engineer: (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

HVAC Engineer: (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

RATIONAL FIRE Engineer: (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

WET SERVICES Engineer: (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

SPECIALIST CONSULTANTS (Where applicable) All materials and workmanship to be as specified on the Consultants drawing.

Sign off client:

Sign off architect:

Sign off engineer:

TEN	Issued for TENDER	TG	2022.05.31
B	Issued for SUBMISSION	TG	2021.11.02
A	Issued for INFORMATION	TG	2021.09.23
rev:	description:	by:	date:

TENDER

PROPOSED NEW
FIRE STATION for
LANGEBERG MUNICIPALITY

ERF 8250
ROBERTSON



DOOR SCHEDULE

Arch 1:50 2021.06.23

AN TG AN

RFS/21 601 TEN