

All Dimensions and cadastral setting out information to be thoroughly checked on site and all or any discrepancies to be reported to the **Architect or Lead Consultant** before any work is put in hand.

All work is to comply with all relevant specifications and codes of practice of the **SOUTH AFRICAN BUREAU OF STANDARDS (SABS) / SOUTH AFRICAN NATIONAL STANDARDS (SANS)** and amendments thereto.

All materials and workmanship to be as per the **MODEL PREAMBLES FOR TRADES 2008**, and any further additional preambles as noted in the Bills of Quantities.



**ELECTRICAL Engineer:** (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

**HVAC Engineer:** (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

**WET SERVICES Engineer:** (Where applicable) All materials and workmanship to be as specified on the Consultants drawings.

\_\_\_\_\_

- BUILDERS WASTE IS TO BE DELIVERED TO THE ASHTON WASTE FACILITY AT THE COST OF THE CONTRACTOR
- CLEAN EXCAVATED MATERIAL FROM FOUNDATION AND ROADWAY EXCAVATIONS WILL BE SPOILED ON SITE TO CREATE EARTH BEAMS OF 3M BASE AND APPROXIMATELY 1.8M HIGH AND ARE TO BE COMPACTED IN LAYERS OF 250mm TO 90% MOD AASHTO AND NEATLY TRIMMED



|      |                                                                                                           |     |            |  |  |
|------|-----------------------------------------------------------------------------------------------------------|-----|------------|--|--|
|      |                                                                                                           |     |            |  |  |
|      |                                                                                                           |     |            |  |  |
|      |                                                                                                           |     |            |  |  |
| C    | Vehicle ramps added, additional notes and specifications and staircase balustrade wall's slab thickening. | JF  | 2022.06.24 |  |  |
| B    | Issued for INFORMATION - STAGE 4                                                                          | JF  | 2022.04.29 |  |  |
| A    | Issued for INFORMATION                                                                                    | JF  | 2022.02.22 |  |  |
| rev: | description:                                                                                              | by: | date:      |  |  |

# PROPOSED NEW FIRE STATION for LANGEBERG MUNICIPALITY



**Tusk Construction Support Services**  
3 High Street  
1st Floor  
Rosenpark  
Tygervalley  
Bellville  
Cape Town  
Tel: +27 (0) 21 424 4586/23  
[www.tuskcss.co.za](http://www.tuskcss.co.za)

## SURFACE BED LAYOUT

|             |  |          |  |            |  |
|-------------|--|----------|--|------------|--|
| STRUCT      |  | AS SHOWN |  | 2022.04.29 |  |
| discipline: |  | scale:   |  | date:      |  |
| WV          |  | JF       |  | WV         |  |
| design:     |  | drawn:   |  | checked:   |  |
| project:    |  | dwg no:  |  | rev:       |  |
| PS2006_21   |  | 101      |  | C          |  |